


V S 側溝

横断用(300型~600型)



寸法表


呼 び 名 (巾×深)	寸 法 (mm)											参考重量 (kg)		
	B	H	B 1	B 2	H 1	t	e	h	g	d 1	d 2			
300× 300	300	285	520	460	445	110	80	200	45	50.5	64	475		
× 400		385			545							550		
× 500		485			645							624		
× 600		585			745							780		
× 700		685			845							868		
× 800		785			945							957		
× 900		885		1045	1155									
×1000		985		520	1145		110	—				1267		
×1100		1085			1245							1359		
400× 400		400		385	630		570	560				125	85	250
× 500	485		660	721										
× 600	585		760	800										
× 700	685		860	971										
× 800	785		960	100		350		1064						
× 900	885		1060					1157						
×1000	985		630	1160		115	—	1370						
×1100	1085			1260				1477						
×1200	1185			1360				1584						
500× 400	500			385				750	690	575	140		95	300
× 500		485	675	861										
× 600		585	775	949										
× 700		685	875	1038										
× 800		785	975	1126										
× 900		885	1075	110	400	1331								
×1000		985	720			1175	1433							
×1100		1085		1275	1536									
×1200		1185	750	1375	125	—	1783							
×1300		1285		1475			1899							
×1400		1385		1575			2015							
600× 400		600		385			860		800	590		155	100	350
× 500	485		690	977										
× 600	585		790	1070										
× 700	685		890	1163										
× 800	785		990	1256										
× 900	885		1090	115	450	1349								
×1000	985		830			1190		1569						
×1100	1085			1290	1679									
×1200	1185		1390	1783										
×1300	1285		860	1490	130	—		2045						
×1400	1385			1590				2166						
×1500	1485			1690				2287						

FUJI COLLECTION
[道路用シリーズ]

自由勾配側溝

V S 側溝


寸法図



寸法表


呼び名 (巾×深)	寸法 (mm)											参考重量 (kg)
	B	H	B 1	H 1	t	e	e 1	e 2	g	d 1	d 2	
700× 500	700	500	970	700	150	135	65	70	70	70	70	935
× 600		600		800								1010
× 700		700		900								1087
× 800		800		1000								1164
× 900		900		1100								1242
×1000		1000		1200								1320
×1100		1100		1300								1397
×1200		1200		1400								1475
×1300		1300		1500							72	1557
×1400		1400		1600								1635
×1500		1500		1700								1713
×1600		1600		1800								1790
×1700		1700		1900								1868
800× 600	800	600	1080	810	160	140	70	70	80	75	71	1120
× 700		700		910								1200
× 800		800		1010								1279
× 900		900		1110								1361
×1000		1000		1210								1444
×1100		1100		1310								1526
×1200		1200		1410								1608
×1300		1300		1510								1691
×1400		1400		1610							73	1778
×1500		1500		1710								1860
×1600		1600		1810								1942
×1700		1700		1910								2025
×1800		1800		2010								2107
900× 700	900	700	1190	920	170	145	75	70	90	75	75	1310
× 800		800		1020								1400
× 900		900		1120								1483
×1000		1000		1220								1570
×1100		1100		1320								1657
×1200		1200		1420								1744
×1300		1300		1520								1831
×1400		1400		1620								1918
×1500		1500		1720							79	2010
×1600		1600		1820								2097
×1700		1700		1920								2184
×1800		1800		2020								2271
×1900		1900		2120								2358
1000× 800	1000	800	1300	1030	180	150	80	70	100	80	80	1530
× 900		900		1130								1620
×1000		1000		1230								1705
×1100		1100		1330								1797
×1200		1200		1430								1889
×1300		1300		1530								1980
×1400		1400		1630								2072
×1500		1500		1730								2164
×1600		1600		1830								2261
×1700		1700		1930								2352
×1800		1800		2030								2444
×1900		1900		2130								2536
×2000		2000		2230								2627

* L =1000製作可能。

横断用 グレーチング
(300型～600型)

寸法表


呼び名	寸法 (mm)		参考重量 (kg)
	a	t	
300用	400	50	30
400用	500	60	43
500用	600	65	54
600用	700	75	70

縦断用 蓋・グレーチング
(700型～1000型)

寸法表

呼び名	寸法 (mm)				参考重量 (kg)	
	a	a'	b	t	コンクリート蓋	グレーチング
700用	820	810	800	150	137	95.4
800用	920	910	900	160	165	108.7
900用	1030	1020	1010	170	196	121.5
1000用	1130	1120	1110	180	228	142.2

側溝用プレキャスト基礎板



寸法表

呼び名	B 寸法 (mm)	参考重量 (kg)
330×100×2000	330	158
450×100×2000	450	215
480×100×2000	480	230
500×100×2000	500	239
510×100×2000	510	244
520×100×2000	520	249
550×100×2000	550	263
580×100×2000	580	278
590×100×2000	590	282
600×100×2000	600	287
660×100×2000	660	317
700×100×2000	700	335
790×100×2000	790	378
830×100×2000	830	397
850×100×2000	850	408


ボックス用は、P47をご参照ください。

FUJI COLLECTION
[道路用シリーズ]

自由勾配側溝

リボン自由勾配・VS側溝

基礎形状図



寸法表(縦断用：リボン自由勾配側溝) (10m当り)

呼 び 名 (巾×深)	寸 法(mm)				均しコンクリート (m ³)	均しコンクリート 型枠(m ²)	基礎砕石 (m ³)
	B	B1	B2	b			
250 × 300 ~ 500	250	350	450	50	0.23	1.0	0.45
300 × 300 ~ 500	300	410	550	70	0.28	1.0	0.55
× 600 ~ 800		430		60			
× 900 ~ 1100		450		50			
400 × 400 ~ 600	400	520	660	70	0.33	1.0	0.66
× 700 ~ 900		540		60			
× 1000 ~ 1200		560		50			
500 × 600 ~ 800	500	640	790	75	0.40	1.0	0.79
× 900 ~ 1100		670		60			
× 1200 ~ 1400		690		50			

寸法表(縦断用：VS側溝) (10m当り)

呼 び 名 (巾×深)	寸 法(mm)				均しコンクリート (m ³)	均しコンクリート 型枠(m ²)	基礎砕石 (m ³)
	B	B1	B2	b			
600 × 700 ~ 900	600	750	900	75	0.45	1.0	0.90
× 1000 ~ 1200		780		60			
× 1300 ~ 1500		800		50			
700 × 500 ~ 1700	700	970	1070	50	0.54	1.0	1.07
800 × 600 ~ 1800	800	1080	1180	50	0.59	1.0	1.18
900 × 700 ~ 1900	900	1190	1290	50	0.65	1.0	1.29
1000 × 800 ~ 2000	1000	1300	1400	50	0.70	1.0	1.40

寸法表(横断用) (10m当り)

呼 び 名 (巾×深)	寸 法(mm)				均しコンクリート (m ³)	均しコンクリート 型枠(m ²)	基礎砕石 (m ³)
	B	B1	B2	b			
300 × 300 ~ 500	300	460	620	80	0.62	2.0	0.93
× 600 ~ 800		490		65			
× 900 ~ 1100		520		50			
400 × 400 ~ 600	400	570	730	80	0.73	2.0	1.10
× 700 ~ 900		600		65			
× 1000 ~ 1200		630		50			
500 × 400 ~ 800	500	690	850	80	0.85	2.0	1.28
× 900 ~ 1100		720		65			
× 1200 ~ 1400		750		50			
600 × 400 ~ 900	600	800	960	80	0.96	2.0	1.44
× 1000 ~ 1200		830		65			
× 1300 ~ 1500		860		50			